

Patient Registration Form – Female Pelvic Health

Patient Name:		Preferred:	
Address, City, State, Zip:			
DOB:		Social Security #:	
Email Address:			
Home Phone:		Appointment Reminder Method	
Cell Phone:		<input type="checkbox"/> Home Phone	<input type="checkbox"/> Cell Phone
Work Phone:		<input type="checkbox"/> Work Phone	<input type="checkbox"/> Email
Marital Status: <input type="checkbox"/> Single <input type="checkbox"/> Married <input type="checkbox"/> Divorced <input type="checkbox"/> Widowed		Partner's Name:	
Financial Responsibility: <input type="checkbox"/> Self <input type="checkbox"/> Other Please List:			
2nd Contact Name/Address:			
2nd Contact Phone:		Relation:	
General Physician:		Referred By:	
Have you had Physical Therapy treatment since January of this year? <input type="checkbox"/> Yes <input type="checkbox"/> No If yes, # of Visits:			
Have you had Chiropractic treatment since January of this year? <input type="checkbox"/> Yes <input type="checkbox"/> No If yes, # of Visits:			
Have you had Home Healthcare in the last 30 days? <input type="checkbox"/> Yes <input type="checkbox"/> No			
If yes, Home Healthcare Provider:			

INSURANCE INFORMATION Please Note: A copy of your insurance card(s) will be kept on file. The patient is responsible to provide their most current insurance information.			
Primary Insurance:		Secondary Insurance:	
Group #:	Policy #:	Group #:	Policy #:
Insured Information:		Insured Information:	

Consent to Treat/Assignment of Benefits/Acknowledgements	
<p>I hereby authorize and consent to treatment/services for myself, or on behalf of the above-named patient performed by the staff at BreakThrough Physical Therapy (BTPT) and/or as directed by my referring provider. I understand that I have the right to ask and have any questions answered prior to receiving any treatment, including risk or alternatives to the recommended treatment plan.</p> <p>I assign payment for these services directly to BTPT. I authorize the filing of claims to my insurance plan and authorize BTPT to release necessary health information related to these services to process the claims. I certify that the information I have provided is accurate and complete.</p> <p>In signing this form, I will promptly pay any required co-pay, coinsurance and/or deductible amounts. I accept that insurance plans may deny payments for what I believe were covered services, resulting in my responsibility for paying for these services.</p> <p>I acknowledge that I have received the Notice of Privacy Practices, which describes the ways the practice may use or disclose my healthcare information. I understand that my healthcare information may be used for treatment, payment, healthcare operations and other permitted uses or disclosures as described in the Notice.</p>	
<hr/> Signature of Patient/Guardian	<hr/> Date
<hr/> Print Name and Relationship to the Patient	

Patient name: _____ **DOB:** _____

Authorization for Communication

By providing my above contact information and signing below, I consent and authorize BTPT and its related entities, agents, contractors, including but not limited to scheduling, billing, and other departments to use automated telephone dialing systems, SMS text messaging, (if opted in) and electronic mail to (1) provide messages (including prerecorded messages or text messages, (if opted in)) to me about appointment reminders, patient surveys, my account, payment due dates, missed payments, information for or related to medical goods and/or therapy services provided, exchange information, changes to health care law, health care coverage, care follow-up, and other healthcare information or (2) provide messages (including pre-recorded messages) during a call or via text message, (if opted in) that delivers a 'health care' message made by, or on behalf of, a 'covered entity' or its 'business associate' as those terms are defined in the HIPAA Privacy Rule, 45 CFR 160.103. I understand that providing a telephone number and/or email address is not a condition of receiving medical services.

I also understand that I may revoke my consent to contact at any time by directly contacting BTPT or using the opt-out method that will be identified in the applicable communication. I also understand that it is my responsibility to notify BTPT immediately of any change in telephone number or email address.

Please check the box below to opt in to receive messaging.

- I consent** to receiving text messages about care, appointment reminders, and important health reminders from BTPT at the phone number I provided. I acknowledge that my consent is not a condition of purchase. Message & data rates may apply. Message frequency varies. You can reply HELP for support or STOP to opt out of receiving messages. To learn more about how we handle your data please view our privacy policy [here](https://breakthrough-pt.com/wp-content/uploads/sites/25/2026/03/BRPT-Website-Privacy-Policy-Terms-11-2025.pdf).

<https://breakthrough-pt.com/wp-content/uploads/sites/25/2026/03/BRPT-Website-Privacy-Policy-Terms-11-2025.pdf>

- I do not** consent to receiving text messages.

Patient/Guardian Signature: _____

Date: _____

Release of Information

I hereby authorized BTPT to discuss my personal healthcare information regarding my treatment including diagnosis/prognosis and/or billing and payment for services rendered on my behalf to the person(s) listed below.

Name (print) Relationship Phone number

Name (print) Relationship Phone number

Name (print) Relationship Phone number

Patient/Guardian Signature: _____

Date: _____

Patient name:	DOB:
Financial Policy	
Payment for services is due at the time services are rendered	
We will verify your benefits with your insurance carrier. However, this does not guarantee that they will cover the prescribed treatment. By signing below, you are acknowledging that you are responsible for deductibles, copays, coinsurance, and non-covered services not paid by the insurance carrier and understand that you are fully responsible for any balance due for services rendered.	
Patient/Guardian Signature:	Date:

Cancellation/No Show Policy and Fee Acknowledgement	
It is the policy of BTPT to monitor and manage appointment no-shows and late cancellations. Regular attendance at therapy sessions is crucial for you to recover fully and return to the activities you love. When an appointment is missed, it's a missed opportunity for progress in your recovery, and it impacts our ability to accommodate other patients who may need urgent care.	
If you need to cancel or reschedule, please call the clinic.	
Scheduled appointments must be cancelled or rescheduled at least 24 hours prior.	
Failure to attend your appointment without 24-hour notice may result in a fee of \$50 that will be charged directly to you as the patient (not insurance) for each instance of a missed appointment.	
Patient/Guardian Signature:	Date:

Patient Name:		DOB:	
Previous Treatments for your condition			
<input type="checkbox"/> Kegel exercises <input type="checkbox"/> Biofeedback <input type="checkbox"/> Pelvic floor rehab <input type="checkbox"/> Diet/fluid changes <input type="checkbox"/> Pessary <input type="checkbox"/> Bladder surgery <input type="checkbox"/> Bladder control meds <input type="checkbox"/> Collagen injections <input type="checkbox"/> InterStim <input type="checkbox"/> Self-catheterization <input type="checkbox"/> BCG <input type="checkbox"/> Bladder instillations	<input type="checkbox"/> Rectocele repair <input type="checkbox"/> Hemorrhoid repair <input type="checkbox"/> Radiation <input type="checkbox"/> Ostomy pouch <input type="checkbox"/> Hemorrhoid cream <input type="checkbox"/> High fiber diet <input type="checkbox"/> Probiotics <input type="checkbox"/> Stool softeners <input type="checkbox"/> Anti-diarrheal meds <input type="checkbox"/> Herbal supplements <input type="checkbox"/> Nerve injections/blocks	<input type="checkbox"/> Tubal ligation <input type="checkbox"/> Infertility treatments <input type="checkbox"/> Removal of endometria <input type="checkbox"/> Removal of adhesions <input type="checkbox"/> Hysterectomy <input type="checkbox"/> Abdominal <input type="checkbox"/> Vaginal <input type="checkbox"/> With bladder repair <input type="checkbox"/> One ovary removed <input type="checkbox"/> Both ovaries removed Reason/Age -	<input type="checkbox"/> Massage therapy <input type="checkbox"/> Chiropractor <input type="checkbox"/> Acupuncture <input type="checkbox"/> Vaginal dilators <input type="checkbox"/> Over the counter pain meds <input type="checkbox"/> Prescription pain meds <input type="checkbox"/> Urethral/bladder dilation <input type="checkbox"/> Other _____

Bladder	
<input type="checkbox"/> Urinary incontinence <input type="checkbox"/> Overactive bladder <input type="checkbox"/> Urinary retention <input type="checkbox"/> Small bladder capacity <input type="checkbox"/> Large bladder capacity <input type="checkbox"/> Fallen bladder (cystocele)	<input type="checkbox"/> Bladder cancer <input type="checkbox"/> Interstitial cystitis <input type="checkbox"/> Other _____ <input type="checkbox"/> Bladder infections (UTI's) <input type="checkbox"/> Painful bladder syndrome

Bowels	
<input type="checkbox"/> Fecal incontinence <input type="checkbox"/> Constipation <input type="checkbox"/> Diarrhea <input type="checkbox"/> Irritable bowel synd. <input type="checkbox"/> Ulcerative colitis <input type="checkbox"/> Spastic colon <input type="checkbox"/> Diverticulitis <input type="checkbox"/> Diverticulosis	<input type="checkbox"/> Hemorrhoids <input type="checkbox"/> Lactose intolerance <input type="checkbox"/> Gluten intolerance <input type="checkbox"/> Other _____ <input type="checkbox"/> Colon cancer <input type="checkbox"/> Anal cancer <input type="checkbox"/> Colostomy/ileostomy

Obstetrical	
_____ Number of pregnancies _____ Number of vaginal deliveries _____ Number of C-Section deliveries _____ Weight of largest baby I'm pregnant now; due date _____	Other complications _____ <input type="checkbox"/> Vaginal tear <input type="checkbox"/> Episiotomy <input type="checkbox"/> Vaginal stitches <input type="checkbox"/> Use of forceps or suction

Gynecological			
<input type="checkbox"/> Endometriosis <input type="checkbox"/> Pudendal neuralgia <input type="checkbox"/> Ovarian cysts <input type="checkbox"/> Bladder (cystocele) <input type="checkbox"/> Vulvodynia <input type="checkbox"/> Uterine fibroids <input type="checkbox"/> Vaginismus <input type="checkbox"/> Yeast infections <input type="checkbox"/> Uterine prolapse	<input type="checkbox"/> Cervical cancer <input type="checkbox"/> Rectum (rectocele) <input type="checkbox"/> Bulge in the vagina <input type="checkbox"/> Ovarian cancer <input type="checkbox"/> "Falling out" feeling <input type="checkbox"/> Uterine cancer <input type="checkbox"/> Yeast infections <input type="checkbox"/> Other _____	Menstruation Status	Use of Hormones
		<input type="checkbox"/> Normal periods <input type="checkbox"/> Irregular periods <input type="checkbox"/> Painful periods <input type="checkbox"/> Peri-menopausal <input type="checkbox"/> Post-menopausal <input type="checkbox"/> Hysterectomy	<input type="checkbox"/> None Used <input type="checkbox"/> Birth control pills <input type="checkbox"/> Estrogen replacement <input type="checkbox"/> Oral medication <input type="checkbox"/> Skin patch <input type="checkbox"/> Vaginal cream <input type="checkbox"/> Suppository

Sexual Function:	
<input type="checkbox"/> I'm sexually active	<input type="checkbox"/> I'm not sexually active due to: <input type="checkbox"/> My pelvic pain symptoms <input type="checkbox"/> My other medical problems <input type="checkbox"/> For non-health related reasons <input type="checkbox"/> My partner's medical problems

Patient Name:		DOB:
Other Medical		
<input type="checkbox"/> High blood pressure <input type="checkbox"/> Asthma <input type="checkbox"/> Diabetes <input type="checkbox"/> Sciatica <input type="checkbox"/> Low blood pressure <input type="checkbox"/> Cigarette smoker <input type="checkbox"/> Acid reflux <input type="checkbox"/> Stenosis <input type="checkbox"/> High cholesterol <input type="checkbox"/> Former smoker <input type="checkbox"/> Depression <input type="checkbox"/> Arthritis – area _____ <input type="checkbox"/> Heart disease <input type="checkbox"/> Migraine headaches <input type="checkbox"/> Anxiety disorder <input type="checkbox"/> Bronchitis <input type="checkbox"/> Bone fracture – area _____	<input type="checkbox"/> Cardiac arrhythmia <input type="checkbox"/> Multiple Sclerosis <input type="checkbox"/> Hearing loss <input type="checkbox"/> Alzheimer’s <input type="checkbox"/> Heart attack <input type="checkbox"/> Stroke <input type="checkbox"/> Glaucoma <input type="checkbox"/> Herniated disc <input type="checkbox"/> Angina <input type="checkbox"/> TIA (mini strokes) <input type="checkbox"/> Cataracts <input type="checkbox"/> Congestive heart failure <input type="checkbox"/> Parkinson’s Disease <input type="checkbox"/> Glasses <input type="checkbox"/> Degenerative disc – area _____ <input type="checkbox"/> Pacemaker	<input type="checkbox"/> Seizures <input type="checkbox"/> Fibromyalgia <input type="checkbox"/> Vascular disease <input type="checkbox"/> Hypothyroidism <input type="checkbox"/> Osteoporosis <input type="checkbox"/> Swollen legs/edema <input type="checkbox"/> Dementia <input type="checkbox"/> Osteopenia <input type="checkbox"/> Cancer – area _____ <input type="checkbox"/> Emphysema <input type="checkbox"/> Kidney stones <input type="checkbox"/> Low back pain <input type="checkbox"/> Sleep apnea <input type="checkbox"/> Tailbone trauma <input type="checkbox"/> Other _____

Review of Systems – Please check if you have recently had any of these symptoms.		
<input type="checkbox"/> Fever/chills <input type="checkbox"/> Weight change <input type="checkbox"/> Fatigue/night sweats <input type="checkbox"/> Skin rash/itch <input type="checkbox"/> Headaches <input type="checkbox"/> Hearing loss <input type="checkbox"/> Ringing in ears <input type="checkbox"/> Ear pain/discharge <input type="checkbox"/> Nose bleeds <input type="checkbox"/> Sore throat <input type="checkbox"/> Blurred vision <input type="checkbox"/> Double vision <input type="checkbox"/> Light sensitive <input type="checkbox"/> Eye pain/redness <input type="checkbox"/> Chest pain <input type="checkbox"/> Pounding heart <input type="checkbox"/> Shortness of breath <input type="checkbox"/> Calf pain	<input type="checkbox"/> Leg swelling <input type="checkbox"/> Cough <input type="checkbox"/> Coughing up blood <input type="checkbox"/> Phlegm production <input type="checkbox"/> Congestion <input type="checkbox"/> Wheezing <input type="checkbox"/> Heartburn <input type="checkbox"/> Nausea/vomiting <input type="checkbox"/> Stomach pain <input type="checkbox"/> Bloody stools <input type="checkbox"/> Tarry stools <input type="checkbox"/> Blood in urine <input type="checkbox"/> Muscle pain <input type="checkbox"/> Neck/back pain <input type="checkbox"/> Joint pain <input type="checkbox"/> Falls <input type="checkbox"/> Arm/leg weakness	<input type="checkbox"/> Lack of coordination <input type="checkbox"/> Difficulty walking <input type="checkbox"/> Difficulty standing up <input type="checkbox"/> Tingling/numbness <input type="checkbox"/> Tremors <input type="checkbox"/> Speech changes <input type="checkbox"/> Seizures <input type="checkbox"/> Loss of consciousness <input type="checkbox"/> Vertigo/spinning <input type="checkbox"/> Unsteadiness <input type="checkbox"/> Lightheaded <input type="checkbox"/> Depression <input type="checkbox"/> Nervous/anxious <input type="checkbox"/> Suicidal thoughts <input type="checkbox"/> Hallucinations <input type="checkbox"/> Substance abuse <input type="checkbox"/> Memory loss
Is your doctor aware of these recent symptoms? <input type="checkbox"/> Yes <input type="checkbox"/> No		

Patient Name:	DOB:
Please answer the questions below. If your symptom severity fluctuates, characterize your symptoms at their worst.	
Bladder Health	
Do you have a urologist? <input type="checkbox"/> Yes <input type="checkbox"/> No If yes, who?	
During the daytime , how often do you urinate? <input type="checkbox"/> Every 30-60 minutes <input type="checkbox"/> 1-2 hours <input type="checkbox"/> 2-3 hours <input type="checkbox"/> 3-4 hours <input type="checkbox"/> More than 4 hours	
During the nighttime (after you've fallen asleep), how often do you get up to urinate? <input type="checkbox"/> 0-1 times per night <input type="checkbox"/> 2-3 times <input type="checkbox"/> 3-4 times <input type="checkbox"/> More than 4 times	
How many 8-ounce servings (cups) do you drink of the following?	
Coffee (<input type="checkbox"/> Reg. <input type="checkbox"/> Decaf) _____ Per day _____ Per week <input type="checkbox"/> On occasion <input type="checkbox"/> Never	
Tea (<input type="checkbox"/> Reg. <input type="checkbox"/> Decaf) _____ Per day _____ Per week <input type="checkbox"/> On occasion <input type="checkbox"/> Never	
Soda (<input type="checkbox"/> Reg. <input type="checkbox"/> Diet) _____ Per day _____ Per week <input type="checkbox"/> On occasion <input type="checkbox"/> Never	
Beer/Wine/Liquor _____ Per day _____ Per week <input type="checkbox"/> On occasion <input type="checkbox"/> Never	
Water _____ Per day _____ Per week <input type="checkbox"/> On occasion <input type="checkbox"/> Never	
Juice _____ Per day _____ Per week <input type="checkbox"/> On occasion <input type="checkbox"/> Never	
Other: _____ Per day _____ Per week <input type="checkbox"/> On occasion <input type="checkbox"/> Never	

Do you ever lose urine (even a few drops) with any of the situations below?					
	Never	On occasion	Sometimes	Usually	Always
Cough					
Sneeze					
Laugh					
Getting out of a chair					
Getting out of a car					
Getting out of bed at night or morning					
Picking objects off the floor					
Putting on shoes or clothes					
Lifting light items					
Lifting heavy items					
Cooking or doing dishes					
Doing housework					
Doing yard work					
During sexual activity					
Walking to the toilet at home					
Shopping or running errands					
Standing or walking for a long time					
Walking to toilet in public					
Recreational activities					
Exercise activities					
Other _____					
Do you ever have strong or difficult-to-control urges to urinate with the situations listed below?					
	Never	On occasion	Sometimes	Usually	Always
Around running water					
Feeling cold					
Feeling anxious or nervous					
Unlocking the door					
If I've waited too long					
Rushing off to the toilet					

Patient Name:	DOB:
How long can you usually delay an urge to urinate? <input type="checkbox"/> I rarely feel urges to void <input type="checkbox"/> I go as soon as I feel an urge <input type="checkbox"/> 1-2 minutes <input type="checkbox"/> Several minutes <input type="checkbox"/> 10-15 minutes <input type="checkbox"/> 15 minutes or more	
What type of protective padding do you use for bladder control? <input type="checkbox"/> None needed <input type="checkbox"/> Change underwear <input type="checkbox"/> Folded tissue paper <input type="checkbox"/> Liners <input type="checkbox"/> Thin pads <input type="checkbox"/> Thick pads <input type="checkbox"/> Diapers <input type="checkbox"/> Other	
How often do you change your bladder protection? <input type="checkbox"/> None <input type="checkbox"/> Only when I leave the house <input type="checkbox"/> Only at night <input type="checkbox"/> Only during a cold <input type="checkbox"/> Only during exercise <input type="checkbox"/> 1-2 per day <input type="checkbox"/> 3-4 per day <input type="checkbox"/> 4+ per day	
How saturated does your protection get? <input type="checkbox"/> No leakage <input type="checkbox"/> "Near misses" <input type="checkbox"/> A few drops <input type="checkbox"/> Damp <input type="checkbox"/> Wet <input type="checkbox"/> Soaked <input type="checkbox"/> Overflows onto clothes	
How often do you go to the bathroom before you feel urges to void, "just in case?" <input type="checkbox"/> Never <input type="checkbox"/> On occasion <input type="checkbox"/> Sometimes <input type="checkbox"/> Usually <input type="checkbox"/> Always	
How often do you avoid drinking fluid in order to help with bladder control? <input type="checkbox"/> Never <input type="checkbox"/> On occasion <input type="checkbox"/> Sometimes <input type="checkbox"/> Usually <input type="checkbox"/> Always	

Do you ever notice any of the following bladder symptoms? Please check how often.					
	Never	On occasion	Sometimes	Usually	Always
Weak stream					
Incomplete bladder emptying					
Trouble starting urine stream					
Strain to urinate					
Dribble after urinating					
Have to rock pelvis to empty bladder					
Have to push over the bladder to empty					
Splint or support bladder to urinate					
Pain as my bladder <i>fills</i>					
Location:	<input type="checkbox"/> Bladder <input type="checkbox"/> Urethra <input type="checkbox"/> Abdomen				
Circle severity:	No pain 0 1 2 3 4 5 6 7 8 9 10 Worst pain				
Pain as my bladder <i>empties</i>					
Location:	<input type="checkbox"/> Bladder <input type="checkbox"/> Urethra <input type="checkbox"/> Abdomen				
Circle severity:	No pain 0 1 2 3 4 5 6 7 8 9 10 Worst pain				

Bowel Health
Do you have a gastroenterologist? <input type="checkbox"/> Yes <input type="checkbox"/> No If yes, who?
How often do you have a bowel movement? <input type="checkbox"/> Less than 3 times a week <input type="checkbox"/> Every 2-3 days <input type="checkbox"/> Every 1-2 days <input type="checkbox"/> Daily <input type="checkbox"/> 2-3 times per day <input type="checkbox"/> More than 3 times per day <input type="checkbox"/> I won't go for several days, and then go multiple times in one day
What is the consistency of your bowel movements? <input type="checkbox"/> Watery/formless <input type="checkbox"/> Loose and thin <input type="checkbox"/> Soft and formed <input type="checkbox"/> Hard and rocky <input type="checkbox"/> Small and pellet-like <input type="checkbox"/> It varies:

Do you ever lose feces with any of the situations below? Please check how often.					
	Never	On occasion	Sometimes	Usually	Always
On the way to the toilet					
If I exert myself					
When I pass gas					
I have fecal soiling without an urge to have a BM					

What type of protective padding do you use for bowel control? <input type="checkbox"/> None needed <input type="checkbox"/> Change underwear <input type="checkbox"/> Folded tissue paper <input type="checkbox"/> Liners <input type="checkbox"/> Thin pads <input type="checkbox"/> Thick pads <input type="checkbox"/> Diapers <input type="checkbox"/> Other
How often do you change your bowel protection? <input type="checkbox"/> None <input type="checkbox"/> Only when I leave the house <input type="checkbox"/> Only when I have diarrhea/ loose stools <input type="checkbox"/> 1-2 per day <input type="checkbox"/> 3-4 per day <input type="checkbox"/> 4+ per day

Patient Name:		DOB:			
Do you ever notice any of the following bowel symptoms? Please check how often.					
	Never	On occasion	Sometimes	Usually	Always
Excessive straining during a BM					
Support/splint rectum during BM					
Incomplete BM's					
Rush to the toilet with BM urge					
Trouble controlling gas in public					
Excessive wiping needed after BM					
Fecal soiling in underwear after BM					
Pain as my bowels <i>fill</i>					
Location:	<input type="checkbox"/> Rectum <input type="checkbox"/> Abdomen				
Circle severity:	No pain 0 1 2 3 4 5 6 7 8 9 10 Worst pain				
Pain as my bowels <i>empty</i>					
Location:	<input type="checkbox"/> Rectum <input type="checkbox"/> Abdomen				
Circle severity:	No pain 0 1 2 3 4 5 6 7 8 9 10 Worst pain				

GYN Health			
Do you have an OB/GYN? <input type="checkbox"/> Yes <input type="checkbox"/> No If yes, who?			
Vulvar symptoms: <input type="checkbox"/> Dryness <input type="checkbox"/> Itching <input type="checkbox"/> Discharge <input type="checkbox"/> Numbness/tingling <input type="checkbox"/> Redness <input type="checkbox"/> Swelling <input type="checkbox"/> None			
Pelvic pain symptoms: <input type="checkbox"/> None			
My pelvic symptoms affect my ability to, OR I feel worse when I try to: Check all that apply.			
<input type="checkbox"/> Sleep	<input type="checkbox"/> Bend forward	<input type="checkbox"/> Climb stairs	<input type="checkbox"/> Recreational activities
<input type="checkbox"/> Bathe	<input type="checkbox"/> Squat down	<input type="checkbox"/> Sitting tolerance	<input type="checkbox"/> Social events
<input type="checkbox"/> Get dressed	<input type="checkbox"/> Lift items	<input type="checkbox"/> Standing tolerance	<input type="checkbox"/> Travel
<input type="checkbox"/> Wear tight clothing	<input type="checkbox"/> Reach overhead	<input type="checkbox"/> Walking distance	<input type="checkbox"/> Do yard work
<input type="checkbox"/> Wear a tampon	<input type="checkbox"/> Get out of bed	<input type="checkbox"/> Drive a car	<input type="checkbox"/> Have a GYN exam
<input type="checkbox"/> Cook meals	<input type="checkbox"/> Stand up from a chair	<input type="checkbox"/> Run errands/shop	<input type="checkbox"/> Do Kegel exercises
<input type="checkbox"/> Do housework	<input type="checkbox"/> Get out of a car	<input type="checkbox"/> Perform work duties	

Pain Location: Check all that apply.		
<input type="checkbox"/> Abdomen	<input type="checkbox"/> Urethra	<input type="checkbox"/> Buttocks
<input type="checkbox"/> Inner thighs	<input type="checkbox"/> Bladder	<input type="checkbox"/> Groin
<input type="checkbox"/> Side/waist	<input type="checkbox"/> Tailbone	<input type="checkbox"/> Sides of hips
<input type="checkbox"/> Over tight surgical scars	<input type="checkbox"/> Rectum	<input type="checkbox"/> Back of hips
<input type="checkbox"/> Vagina	<input type="checkbox"/> Low back	<input type="checkbox"/> Front of hips
<input type="checkbox"/> Clitoris		
Circle pain severity: No Pain 0__1__2__3__4__5__6__7__8__9__10 Worst Pain		
Pain with sexual activity:		
<input type="checkbox"/> None		
<input type="checkbox"/> I have to interrupt intercourse due to pain.		
<input type="checkbox"/> I limit the frequency of sexual activity because of my pain.		
<input type="checkbox"/> I avoid it altogether due to my pain. Last intercourse attempt: _____		
The pain occurs during: <input type="checkbox"/> Vulvar touching <input type="checkbox"/> Vaginal penetration <input type="checkbox"/> Thrusting <input type="checkbox"/> Orgasm		
For how long? <input type="checkbox"/> Only during sexual activity <input type="checkbox"/> For a few hours afterwards <input type="checkbox"/> For a day or more afterwards		
Location of pain: <input type="checkbox"/> Vaginal opening <input type="checkbox"/> Clitoris <input type="checkbox"/> Deep in my pelvis <input type="checkbox"/> In my back		
Circle pain severity: No pain 0__1__2__3__4__5__6__7__8__9__10 Worst Pain		

*** If you are pregnant, have an infection of any kind, have vaginal dryness, are less than 6 weeks post-partum or post-surgery, have severe pelvic pain, sensitivity to creams, please inform the therapist prior to pelvic floor assessment.

Patient/Guardian Signature

Date

INFORMED CONSENT FOR PELVIC FLOOR MUSCLE EVALUATION AND TREATMENT

Patient Name: _____ **DOB:** _____

The term, "informed consent," means that the potential risks, benefits, and alternatives of therapy evaluation and treatment have been explained to me. The therapist provides a wide range of services, and I understand that I will receive information at the initial visit concerning the evaluation, treatment, and options available for my condition.

I understand I have been referred to therapy for evaluation and treatment of pelvic floor dysfunction. Pelvic floor dysfunctions include urinary or fecal incontinence, difficulty with bowel, bladder or sexual functions, painful scars after childbirth or surgery, persistent sacroiliac or low back pain or pelvic pain conditions.

As part of your evaluation and treatment for pelvic floor dysfunction, your therapist may initially and periodically perform an internal assessment of the pelvic floor muscles, assessing muscle tone, length, strength and endurance, scar mobility and function of the pelvic floor region. This examination is performed by observing and/or palpating the perineal region including the vagina and/or rectum. The findings will be discussed with you, and you will collaborate with your therapist to develop a treatment plan that is appropriate for you. Please discuss any concerns or hesitations that you may have with your therapist.

Treatment procedures for pelvic floor dysfunctions may include, without limitation, education, exercise, stimulation, ultrasound, and manual therapy techniques including massage, joint and soft tissue mobilization. The therapist will explain all the treatment procedures prior to performing, and you may choose not to participate in all or part of the treatment.

I understand that the benefits of the vaginal/rectal assessment have been explained to me. I understand that if I am uncomfortable with the assessment or treatment procedures AT ANY TIME, I will inform my therapist, and the procedure will be discontinued, and an alternative discussed with me.

I understand that no guarantees have been or can be provided to me regarding the success of therapy.

Potential Risk: You may experience an increase in your current level of pain or discomfort, or an aggravation of your existing injury. This discomfort is usually temporary. **I agree to contact my therapist if pain or discomfort does not subside in 1 to 3 days.**

You have the option to have a second person in the room for the pelvic floor muscle evaluation and treatment. The second person could be a friend, family member, or clinic staff member. Please indicate your preference with your initials:

_____ **YES**, I want a second person present during the pelvic floor muscle evaluation and treatment.

_____ **NO**, I do not want a second person during the pelvic floor muscle evaluation and treatment.

_____ I would like to discuss my options with my physical therapist prior to consenting.

By signing this form, I understand that treatment as indicated above may be necessary for effective treatment of my condition and all my questions have been answered to my satisfaction. I understand the risk, benefits, and alternative of the treatment.

I have read and understand the Informed Consent for Pelvic Floor Muscle Evaluation and Treatment, and I consent to the evaluation and treatment.

BreakThrough

PHYSICAL THERAPY

**If you are pregnant, have an infection of any kind, have vaginal dryness, are less than 6 weeks post-partum or post-surgery, have severe pelvic pain, sensitivity to creams, please inform the therapist prior to pelvic floor assessment.*

Patient/Guardian Signature

Date

Printed name

Relationship to patient